Art Unit: 2614 Page 3

6.

(Currently Amended) The method of claim 1, further comprising the step of:

implementing the at least one content restriction to be a hierarchy of at least one <u>particular</u> inclusive content restriction and at least one <u>particular</u> exclusive content restriction;

- enabling the at least one <u>particular</u> inclusive content restriction to require the display, if available, of a second <u>particular</u> media content instance of the plurality of media content instances designated by the at least one <u>particular</u> inclusive content restriction; and
- enabling the at least one <u>particular</u> exclusive content restriction if the <u>particular</u> second media content instance of the plurality of media content instances is not available, the at least one <u>particular</u> exclusive content restriction allowing the display of any of the plurality of media content instances not <u>particularly</u> excluded by the <u>particular</u> exclusive content restriction.
- 7. (Original) The method of claim 1, wherein the at least one trigger includes the at least one content restriction.
- 8. (Original) The method of claim 1, wherein the at least one trigger comprises information indicating the location of at least one media content instance needed to satisfy the at least one content restriction.
- 9. (Criginal) The method of claim 1, wherein the at least one trigger comprises at least one nedia content instance needed to satisfy the at least one content restriction.
- 10. (Currently Amended) A method in a subscriber television system (STS), the method comprising the steps of:

providing a plurality of media content instances to be displayed to a subscriber by a client device;

7709510933

Serial No.: 09/973,610 Art Unit: 2614

Page 4

providing at least one trigger synchronized with a first media content instance of the plurality of media content instances, the at least one trigger comprising at least one unique identifier;

enabling at least one content control module in the client device, the at least one content control module comprising a database of a plurality of values for a plurality of the at least one unique identifier, the plurality of values being individually matched with a corresponding content restriction;

receiving the at least one trigger at the client device;

interpreting a value of the at least one trigger by the content control module; and enabling the content control module to reference the database with the value and determine at least one enabled particularly exclusive content restriction.

- 11. (Priginal) The method of claim 10, wherein the client device displays a screen display comprising an application interface, an advertisement banner, and a video stream, the video stream displaying a first media content instance of the plurality of media content instances, the first media content instance of the plurality of media content instances being a commercial.
- (durrently Amended) The method of claim 11, wherein the enabled particularly exclusive 12. content restriction is an inclusive content restriction, the inclusive content restriction requiring excludes the display of a second media content instance of the plurality of media content instances in the advertisement banner.
- (Currently Amended) The method of claim 12, wherein the second media content 13. instance of the plurality of media content instances is associated with a competitor funding entity of the commercial.
- 14. (Chrrently Amended) The method of claim 11, wherein the enabled particularly exclusive content restriction is an exclusive content restriction, the exclusive content restriction allowing allows the display of any of the plurality of media content instances in the advertisement banner not excluded by the particularly exclusive content restriction.

Serial No.: 09/973,610

Art Unit: 2614
Page 5

- 15. (Original) The method of claim 14, wherein at least one of the plurality of media content instances excluded by the exclusive content restriction is media content associated with a competitor of a funding entity of the commercial.
- 16. (Original) The method of claim 11, wherein the enabled content restriction is an inclusive exclusive combination content restriction, and wherein the inclusive/exclusive combination content restriction requires the display of a second media content instance of the plurality of media content instances in the advertisement banner if available, the second media content instance of the plurality of media content instances being associated with a funding entity of the commercial, if the second of the media content is not available, then the inclusive exclusive combination content restriction requires the display of a third of the plurality of media content instances in the advertisement banner, the third of the plurality of media content instances being any media content not associated with a competitor of a funding entity of the commercial.
- 17. (Currently Amended) A method in a subscriber television system (STS), the method comprising the steps of:
  - inserting, within an available insertion area in at least one transport stream, at least one trigger having at least one <u>particularly exclusive</u> content restriction; and
  - distributing the at least one transport stream with the at least one trigger to a plurality of client devices.
- 18. (Currently Amended) The method of claim 17, wherein the at least one particularly exclusive content restriction is an inclusive content restriction requiring excludes the insertion of at least one designated media content instance, and wherein the designated media content instance is excluded from inserted into the available insertion area in the at least one transport stream.

PAGE 7/23 \* RCVD AT 3/1/2006 6:46:56 PM [Eastern Standard Time] \* SVR:USPTO-EFXRF-6/27 \* DNIS:2738300 \* CSID:7709510933 \* DURATION (mm-ss):07-06

a processor for executing the logic stored in memory;

7709510933

Serial No.: 09/973,610

Art Unit: 2614 Page 7

logic configured to provide a plurality of media content instances to be displayed to a subscriber:

logic configured to provide at least one trigger synchronized with a first media content instance of the plurality of media content instances; and logic configured to enable at least one particularly exclusive content restriction responsive to a reception of the at least one trigger.

- 25, The system of claim 24, wherein the least one content restriction requires a (Priginal) second media content instance of the plurality of media content instances to be displayed for a time period.
- (durrently Amended) The system of claim 25, wherein the time period is equal to the 26. length of the display of the first media content instance of the plurality of media content instances, and wherein the second media content instance of the plurality of media content instances is displayed excluded simultaneously with the first media content instance of the plurality of media content instances.
- 27. (Chriginal) The system of claim 24, wherein the least one content restriction requires a second media content instance of the plurality of media content instances to be excluded from display for a time period.
- 28. (Original) The system of claim 27, wherein the time period is equal to the length of the display of the first media content instance of the plurality of media content instances, and wherein the second media content instance of the plurality of media content instances is excluded from display during the display of the first media content instance of the plurality of media content instances.
- 29. (Original) The system of claim 24, wherein the trigger comprises the at least one content restriction.

Art Unit: 2614 Page 8

Original) The system of claim 24, wherein the trigger comprises at least one media content needed to satisfy the at least one content restriction.

31. (Currently Amended) A system in a subscriber television system (STS) client device, the system comprising:

a memory for storing logic in the STS client device;

a processor for executing the logic stored in memory in the STS client device; logic configured to provide a plurality of media content instances to be displayed to a subscriber;

logic configured to provide at least one trigger synchronized with a first media content instance of the plurality of media content instances; and logic configured to enable at least one <u>particularly exclusive</u> content restriction responsive to a reception of the at least one trigger.

- 32. (Currently Amended) The system of claim 31, wherein the least one content restriction excludes requires a second media content instance of the plurality of media content instances to be from being displayed for a time period.
- 33. (Currently Amended) The system of claim 32, wherein the time period is equal to the length of the display of the first media content instance of the plurality of media content instances, and wherein the second media content instance of the plurality of media content instances is displayed excluded simultaneously with the first media content instance of the plurality of media content instances.
- 34. (Currently Amended) A system in a subscriber television system (STS) headend device, the system comprising:
  - a memory for storing logic in the STS headend device;
  - a processor for executing the logic stored in memory in the STS headend device; logic configured to provide a plurality of media content instances to be displayed to a subscriber;

Serial No.: 09/973,610

Art Unit: 2614 Page 9

logic configured to provide at least one trigger synchronized with a first media content instance of the plurality of media content instances; and logic configured to enable at least one <u>particularly exclusive</u> content restriction responsive to a reception of the at least one trigger.

- 35. (Currently Amended) The system of claim 34, wherein the least one content restriction requires excludes a second media content instance of the plurality of media content instances to be displayed for a time period.
- 36. (Currently Amended) The system of claim 35, wherein the time period is equal to the length of the display of the first media content instances of the plurality of media content instances and wherein the second media content instance of the plurality of media content instances is displayed excluded simultaneously with the first media content instance of the plurality of media content instances.
- 37. (Currently Amended) A system in a subscriber television system (STS) headend, the system comprising:
  - a memory for storing logic in the STS headend;
  - a processor for executing the logic stored in memory in the STS headend; logic configured to allow the STS headend to receive and distribute at least one transport stream to a plurality of client devices, the STS headend comprising an administrative content control module; and logic configured to enable at least one trigger to be synchronized with an available insertion area in the transport stream, the at least one trigger comprising at least one particularly exclusive content restriction.
- 38. (Currently Amended) The system of claim 37, wherein the at least one content restriction is an inclusive content restriction requiring excludes the insertion of at least one designated media content, and wherein the administrative content control module allows the insertion of the least one designated media content from into the available insertion area in the transport stream.